

# coating

International

Anlagen und Verfahren zur Beschichtung und Veredelung

Machinery and Processing for Coating and Converting

Media-Daten | 2010 | Media-Information

## About us

Media-Daten 2010

**1 Characteristic features** **coating** is essential reading for the executives, buyers and specifiers of Europe's vibrant coating and converting industry. Established more than 40 years ago, **coating** publishes valuable information about coating and converting processes for a broad range of substrates like foils and films, paper, textiles or nonwoven materials. Further topics are the production and chemistry of adhesives, printing inks or lacquers as well as new technologies such as the nanotechnology.

**coating** uses for its coverage the synergies between all branches involved in the field of coating and converting. Our editorial team visits the world's major coating, converting and print exhibitions to provide our readers with a balance of information.

**2 Publisher** Michael Rek  
michael.rek@coating.ch

**3 Editors** Ute Schreiber  
Tel: +49 (0)8762 73 86 87  
Email: ute.schreiber@coating.ch

Michael Rek  
Phone: +41 (0)71 228 20 11  
michael.rek@coating.ch

**4.1 Advertising Advertising German-speaking countries (D, A, CH)**  
Michael Richardt  
Phone: +41 (0)71 228 20 12  
Email: anzeigen@coating.ch

### 4.2 Advertising

### Advertising (excluding German-speaking countries)

Ute Schreiber  
Phone: +49 (0)8762 738687  
Email: ute.schreiber@coating.ch

### 5 Publishing company

Rek & Thomas Medien AG  
Schmiedgasse 5, Postfach 1762, CH-9001 St.Gallen  
Phone: +41 (0)71 228 20 11 Fax: 228 20 14  
Internet: www.coating.ch  
Please find our Standard Terms and Conditions on our website.

**6 Annual set** 43rd year

**7 Frequency** 12 issues per year

**8 Publication dates** See editorial calendar

**9 Subscription 12 issues per year** (incl. mailing expenses)  
Switzerland (excl. 2,4 % VAT) CHF 192.-  
other countries CHF 217.-

**Single issue**  
Switzerland (excl. 2,4 % VAT) CHF 18.-  
other countries CHF 21.-

**10 Circulation** 4.500 copies

## Media-Information

Media-Information 2010

- 1 Magazine-format** 210 x 297 mm (DIN A4)
- 2 Type area** 183 x 255 mm  
2 columns (width 89 mm)  
3 columns (width 58 mm)
- 3 Printing process** Sheet fed offset litho  
**Binding process** Saddle stitched  
**Printing documents** Digitized for Apple Macintosh with print/proof on a data carrier. For further information see «Data-Information».
- 4 Publication dates** Frequency 12 issues per year  
Deadlines see editorial calendar
- 5 Publisher** Rek & Thomas Medien AG  
Schmiedgasse 5, Postfach 1762,  
CH-9001 St.Gallen  
Phone +41 (0)71 228 20 11  
Fax +41 (0)71 228 20 14  
E-Mail info@coating.ch  
Internet www.coating.ch

- 6 Terms of Payment** net within 30 days of the invoice date  
VAT identification number: 590 814

### Bank account

#### EURO

Bank: Hypo Vereinsbank Lindau  
Account-no. 1345940  
BC-No. 600 202 90  
SWIFT HYVEDEMM473  
IBAN DE92 6002 0290 0001 3459 40

#### CHF

Bank: UBS St.Gallen  
Account-no. 254-620209.01J  
BC-No. 254  
SWIFT UBSWCHZH80A  
IBAN CH90 0025 4254 6202 0901 J

7 Advertising rates (CHF/Euro\*)

Size	W x H in mm	b/w	scale 4	special
1/1	183 x 255	2.170.-/1.456.-	3.910.-/2.632.-	2.820.-/1.895.-
1/2 vert.	89 x 255	1.140.-/765.-	2.880.-/1.941.-	1.790.-/1.204.-
1/2 horiz.	183 x 127	1.140.-/765.-	2.880.-/1.941.-	1.790.-/1.204.-
1/3 vert.	58 x 255	900.-/604.-	2.640.-/1.780.-	1.550.-/1.043.-
1/3 horiz.	183 x 85	900.-/604.-	2.640.-/1.780.-	1.550.-/1.043.-
1/4 vert.	89 x 128	700.-/470.-	2.080.-/1.403.-	1.230.-/828.-
1/4 horiz.	183 x 64	700.-/470.-	2.080.-/1.403.-	1.230.-/828.-
1/8 horiz.	183 x 32	425.-/285.-		955.-/643.-
Cover page (Cp)	160 x 218		5.005.-/3.367.-	
2 <sup>nd</sup> Cp/3 <sup>rd</sup> Cp	210 x 297	2.440.-/1.638.-	4.180.-/2.814.-	3.090.-/2.077.-
4 <sup>th</sup> Cp	210 x 297	2.625.-/1.762.-	4.365.-/2.938.-	3.275.-/2.201.-
Double page spread	420 x 297	4.340.-/2.913.-	6.080.-/4.089.-	4.990.-/3.352.-

\*Subject to adjustment to significant alterations of exchange rate

- 8 Extra-charges** for binding and placement regulation  
CHF 700.- / Euro 473.-
- Cover story** Front page + cover story  
CHF 6.390 / Euro 4.320  
Further information on request.
- 9 Colour rates** per standard scale colour  
CHF 580.- / Euro 392.-
- per special colour  
CHF 650.- / Euro 439.-
- For 1/4 page per scale colour  
CHF 460.- / Euro 311.-
- For 1/4 page per special colour  
CHF 530.- / Euro 358.-
- Colour rates cannot be discounted.**
- 10 Web advertisement** Banner advertisements(www.coating.ch)  
Banner big (Example see inside cover)  
Euro 250 / CHF 370 quarterly booking  
Size (width x height) 406 x 100 pixel
- new**
- Banner small (Example see inside cover)  
Euro 190 / CHF 280 quarterly booking  
Size (width x height) 167 x 50 pixel
- 11 Classified advertisement** Price mm height / column (width 89 mm)  
CHF 5.50 / Euro 3.72
- 12 Job advertisements** Price mm height / column (width 89 mm)  
CHF 10.20 / Euro 6.90
- 12a Suppliers' list** «Suppliers' list» is a clearly arranged guide that appears in every issue. This source of information is highly regarded among the readership and offers a longterm advertising impact at attractive rates.
- Term** until recalled, contract period 1 year
- Minimum size** height 15 mm
- Rate** per mm height CHF 2.63 / Euro 1.78  
column width 55 mm
- Discount** We do not grant commission or discount for the suppliers' index
- Keywords** free

**Invoicing** quarterly



**Example:**  
20 mm height  
price per month:  
CHF 52.60 /  
Euro 35.60

- 12b Online Suppliers Guide** As of January 2010 on: [www.coating.ch](http://www.coating.ch)
- 13 Discounts for advertisements** Frequency discount if placed within 12 months
- |                  |     |                   |     |
|------------------|-----|-------------------|-----|
| 3 Advertisements | 5%  | 9 Advertisements  | 15% |
| 6 Advertisements | 10% | 12 Advertisements | 20% |
- Does not apply for the suppliers' index.
- 14 Bound inserts** Format 210 x 297 mm (width x height), 5 mm trim per edge must be added to above mentioned format  
Complete print run only
- |                          |                           |
|--------------------------|---------------------------|
| 1 sheet per 1.000 copies | 2 sheets per 1.000 copies |
| CHF 474.- / Euro 318.-   | CHF 625.- / Euro 422.-    |
- 15 Loose inserts** Max. format 207 x 295 mm (width x height)
- |  |                      |
|--|----------------------|
| 1 sheet (2 pages) up to 25 g per 1.000 copies  | CHF 298.-/Euro 201.- |
| 2 sheets (4 pages) up to 25 g per 1.000 copies | CHF 368.-/Euro 248.- |
| 3 sheets 26 g up to 50 g price upon request    |                      |
- (Plus postage per 1.000 copies  
CHF 183.- / Euro 124.-)
- to 14 + 15** **The customer carries the expenses for the delivery, including customs clearance.**
- Delivery address for Loose and Bound Inserts on request

Please send 2 samples in advance in the case of points 14 and 15:

Rek & Thomas Medien AG, Schmiedgasse 5, Postfach 1762,  
CH-9001 St.Gallen, Phone +41 (0)71 228 20 11, Fax +41 (0)71 228 20 14

## Editorial Calendar 2010

Media-Information 2010

Issue	Machinery – Technology – Processes	Adhesives – Lacquers – Printing Inks – Base Materials	Specials	Trade Shows – Events
<b>1/2010 PD: 29.01</b> ED: 13. January AB: 18. January	<ul style="list-style-type: none"> <li>■ Pre-treatment</li> <li>■ Exhaust air cleaning</li> <li>■ Retrofitting</li> </ul>	<ul style="list-style-type: none"> <li>■ Substrates for Ink Jet</li> </ul>	<ul style="list-style-type: none"> <li>■ Nano Pages</li> <li>■ Polymeric Nanostructures</li> </ul>	<ul style="list-style-type: none"> <li>■ Swiss Plastics, 19.-21.1.10, CH-Lucerne</li> <li>■ Paperworld, 30.1.-2.2.10., D-Frankfurt</li> <li>■ IMI Ink Jet Printing Conference, 3.-5.2.10, USA-Chandler Arizona</li> <li>■ nano tech, 17.-19.2.10, JP-Tokyo</li> </ul>
<b>2/2010 PD: 22.02</b> ED: 29. January AB: 8. February	<ul style="list-style-type: none"> <li>■ Laminating and coating</li> <li>■ Drying /Curing</li> <li>■ Web cleaning</li> </ul>		<ul style="list-style-type: none"> <li>■ Novel Biocide Technology: EU Paints Products Directive 2004/42/EEC 1.1.2010</li> </ul>	
<b>3/2010 PD: 22.03</b> ED: 26. February AB: 8. March	<ul style="list-style-type: none"> <li>■ Coating lines and application systems</li> <li>■ Slitting- + winding technology</li> <li>■ Control systems: Web tension control</li> </ul>		<ul style="list-style-type: none"> <li>■ Easy-to-clean/self-cleaning Coatings</li> </ul>	<ul style="list-style-type: none"> <li>■ Finat Technical Seminar, 11.-12.3.10, ES-Barcelona</li> <li>■ DFTA Fachtagung, 25.3.10, D-Kassel</li> </ul>
<b>4/2010 PD: 22.04</b> ED: 26. March AB: 8. April	<ul style="list-style-type: none"> <li>■ Rollers</li> <li>■ Smart Coatings</li> <li>■ Hotmelt technology</li> </ul>	<ul style="list-style-type: none"> <li>■ Homelt adhesives</li> </ul>		<ul style="list-style-type: none"> <li>■ Paint Expo, 13.-16.4.10, D-Karlsruhe</li> <li>■ Tappi PLACE Conference, 18.-21.4.10, USA-Albuquerque, NM</li> <li>■ Techtexil Russia, 20.-22.4.10, RU-Moscow</li> </ul>
<b>5/2010 PD: 20.05</b> ED: 27. April AB: 7. May	<ul style="list-style-type: none"> <li>■ Textile coating</li> <li>■ Contract coating</li> <li>■ Quality control</li> </ul>	<ul style="list-style-type: none"> <li>■ Technical Textiles</li> </ul>		<ul style="list-style-type: none"> <li>■ Control, 4.-7.5.10, D-Stuttgart</li> <li>■ Swiss Bonding, CH-Rapperswil</li> <li>■ IPEX, 18.-25.5.10, UK-Birmingham</li> </ul>
<b>6/2010 PD: 22.06</b> ED: 28. May AB: 7. June	<ul style="list-style-type: none"> <li>■ Paper coating</li> <li>■ Doktor blade</li> <li>■ Slitting / rewinding</li> </ul>	<ul style="list-style-type: none"> <li>■ Papersubstrates</li> </ul>		<ul style="list-style-type: none"> <li>■ UK Coatings week / Surfex / Surcon, 7-9.6.10, UK-Harrogate</li> <li>■ O&amp;S Innotex, 8.-10.6.10, D-Stuttgart</li> <li>■ mtex, 8.-10.6.10, D-Chemnitz</li> <li>■ Zellcheming, 29.6-1.7.10, D-Wiesbaden</li> </ul>
<b>7/2010 PD: 22.07</b> ED: 25. June AB: 7. July	<ul style="list-style-type: none"> <li>■ Laboratory and pilot lines</li> <li>■ Coating Technology</li> <li>■ Environmental technology</li> </ul>	<ul style="list-style-type: none"> <li>■ Renewable raw materials</li> </ul>	<ul style="list-style-type: none"> <li>■ Provider of laboratory and pilot coating lines</li> </ul>	
<b>8/2010 PD: 21.08</b> ED: 27. July AB: 21. August	<ul style="list-style-type: none"> <li>■ Application systems for adhesives</li> <li>■ Drives / controls</li> <li>■ Printing finishing</li> </ul>	<ul style="list-style-type: none"> <li>■ Pressure sensitive adhesives</li> </ul>		
<b>9/2010 PD: 22.09</b> ED: 27. August AB: 6. September	<ul style="list-style-type: none"> <li>■ Drying / curing</li> <li>■ Layer thickness measuring</li> <li>■ Barrier coatings</li> </ul>		<ul style="list-style-type: none"> <li>■ <i>Preview K 2010</i></li> <li>■ Nano Pages</li> </ul>	<ul style="list-style-type: none"> <li>■ Bondexpo, 13.-16.9.10, D-Stuttgart</li> <li>■ Proflex/DFTA Fachtagung 21.-22.9.10, D-Stuttgart</li> <li>■ Paint, 23.-26.9.10, TR-Istanbul</li> <li>■ Nanotech Europe, D-Berlin</li> </ul>
<b>10/2010 PD: 20.10</b> ED: 28. September AB: 6. October	<ul style="list-style-type: none"> <li>■ Pre-treatment</li> <li>■ Extrusion / Coextrusion</li> <li>■ Coating lines</li> </ul>	<ul style="list-style-type: none"> <li>■ Raw materials for plastics</li> <li>■ Foils</li> </ul>	<ul style="list-style-type: none"> <li>■ <i>K 2010 Main Issue</i></li> </ul>	<ul style="list-style-type: none"> <li>■ MKVS, 25.-27.10.10, D-Munich</li> <li>■ K' Messe, 27.10-3.11.10, D-Duesseldorf</li> <li>■ Materialica, 19.-21.10.10, D-Munich</li> <li>■ Cinte Techtexil, 19.-21.10.10, China</li> </ul>
<b>11/2010 PD: 19.11</b> ED: 27. October AB: 4. November	<ul style="list-style-type: none"> <li>■ Quality and inspection systems</li> <li>■ Rollers</li> <li>■ Coating and laminating</li> </ul>		<ul style="list-style-type: none"> <li>■ Review K 2010</li> <li>■ Nano Pages</li> </ul>	<ul style="list-style-type: none"> <li>■ NanoEurope, 24.-25.11.10, CH-Rapperswil</li> <li>■ Eurocoat, 9.-11.11.10, IT-Genoa</li> </ul>
<b>12/2010 PD: 17.12</b> ED: 26. November AB: 3. December	<ul style="list-style-type: none"> <li>■ Measuring, controlling, testing</li> <li>■ Slitting, rewinding, die-cutting</li> <li>■ Coating engineering</li> </ul>		<ul style="list-style-type: none"> <li>■ New areas of application for coating technology</li> </ul>	

\*PD = Publication Date  
\*ED = Editorial copy deadline  
\*AB = Advertising booking deadline

### Monthly headings:


People, Events, Media News, Company Portraits, Special Topics, Product News, Industry News, Raw Materials-Formulations

### Subject to alteration


## Analysis of recipients

Media-Information 2010

### Areas of industry



### Corporate function of recipients



### Recipients differentiated by countries

%	Economic Area
58%	Germany
10%	Switzerland / Austria
7%	Benelux
7%	France / Italy / Iber. Peninsula
7%	U.K. / North America
3%	Scandinavia
7%	Rest of Europe (in particular Czech Republic, Turkey)
1%	Non-European Countries

## Data-Information

Media-Information 2010

### Digital documents

Our pre-press department mainly uses Apple Macintosh computer platforms. The sheet lists all the programs and data formats that we prefer to use:

<b>Text</b>	Text drafts in Microsoft Word for Macintosh saved as *.txt, *.rtf, *.doc
<b>Spreadsheets</b>	Microsoft Excel saved as *.xls
<b>Pictures</b>	Adobe Photoshop CMYK, Grayscale resp. line (Bitmap) output format with dimensions according to resolution of 300 dpi saved as *.jpg, *.tif, *.eps
<b>Graphics</b>	Adobe Illustrator saved as *.eps, *.ai
<b>Finished pages</b> (open data)	QuarkXPress, Adobe InDesign with pictures and fonts saved as *.qxd, *.indd
	Adobe Acrobat press-optimized, fonts embedded saved as *.pdf

Please consider that within the delivered pdf-data (only of the PDFX-3-standard) very few corrections can be made. Our data check only concerns:

- Format
- Trim (of 3mm)
- Colours (CMYK and grayscale)

We do not check provided advertisements for orthographical and stylistic correctness. Advertisement motives must be delivered as digitized printing data – with at least 300 dpi resolution.

**Please consider that artwork cannot be processed, if delivered as word, excel or power-point files.**

We only accept digitized data (on CD/DVD) for Macintosh with a print/proof or manuscript.

The publishing house does not assume any liability for deviations (i.e. missing text parts), if it does not receive a print/proof of the advertisements or manuscripts. To achieve the best result the data should be supplied uncompressed i.e. as TIFF or EPS files. In order to avoid complications with fonts, all the fonts used in the data set/files (for the printer and the screen) must be supplied or converted into paths.

<b>E-Mail</b>	herstellung@coating.ch
<b>ftp-Server</b>	on demand
<b>Data storage media</b>	CD, DVD

**Please always include a contact person as well as the phone-number in case of queries.**

## Online Advertising

Media-Information 2010

*www.coating.ch* grabs the readers attention and is the perfect opportunity for your company to profit from the readers attention by placing an eye-catcher on our website. The banner advertisement can be booked for a 3-month period.


- Online Advertising**
- Banner advertisement (*www.coating.ch*)
  - Banner big
  - Euro 250 / CHF 370 quarterly booking
  - Size (width x height) 406 x 100 pixel
  - Banner small
  - Euro 190 / CHF 280 quarterly booking
  - Size (width x height) 167 x 50 pixel

The screenshot shows the website interface for coating International. At the top right, there are navigation links for 'Home | E-Mail | Suchen' and a language selector 'de en'. The main header features the 'coating International' logo on the left and a large orange 'MUSTER' banner on the right. Below the header, the page is divided into several sections:

- CHARAKTERISTIK**: A vertical sidebar menu on the left with options like 'AKTUELLE AUSGABE', 'NÄCHSTE AUSGABE', 'TERMINE', 'MEDIADATEN', and 'KONTAKT'.
- AUSGABE 10|2008**: The main content area, featuring a large image of the magazine cover. Text includes 'BESCHICHTUNGSANLAGEN' with sub-points like 'Lohnbeschichtung als Prozess- und Kapazitätsoptimierung', 'KLEBSTOFFE - LACKE - DRUCKFARBEN' with sub-points like 'Applous Polyesterharz Pressure-Sensitives Adhesives' and 'Wacker Silicones kündigt neue Ära des Etikettierens ein', 'NEUE VDI RICHTLINIE' with sub-points like 'Manufacturing Execution Systems, VDI-Richtlinie 5600 schafft Transparenz - das Ende von Babydram!' and 'ABLÜFTREINIGUNG' with sub-points like 'Thermische Ablüftreinigung kleiner Lüftungen'.
- MUSTER**: A vertical sidebar on the right with a 'MUSTER' header and a list of featured content: 'Pharma INTERNATIONAL', 'Der Verpackungsdruck', 'sensor report', 'ritterdruck', and 'Rak & Thomas Medien ag'.
- VERLAG**: Contact information for Rak & Thomas Medien AG at the bottom right, including address, phone, and fax numbers.


# Anzeigenformate / Advertisement sizes

im Satzspiegel oder mit Beschnitt (Breite x Höhe in mm)  
in type area or with trim (width x height in mm)



**Panoramaseite**  
Endformat: 420 x 297 mm  
Mit Beschnitt: 426 x 303 mm

**Double page spread**  
Size: 420 x 297 mm  
With trim: 426 x 303 mm




**1/1 Seite (im Satzspiegel)**  
Endformat: 183 x 255 mm

**1/1 Seite (mit Beschnitt)**  
Endformat: 210 x 297 mm  
Mit Beschnitt: 213 x 303 mm

**1/1 Page (with trim)**  
Size: 210 x 297 mm  
With trim: 213 x 303 mm

**1/1 Page (type area)**  
Size: 183 x 255 mm




**2/3 Seite hoch (im Satzspiegel)**  
Endformat: 183 x 170 mm

**2/3 Seite hoch (mit Beschnitt)**  
Endformat: 210 x 188 mm  
Mit Beschnitt: 213 x 191 mm

**2/3 Page vert. (type area)**  
Size: 183 x 170 mm

**2/3 Seite vert. (with trim)**  
Size: 210 x 188 mm  
With trim: 213 x 191 mm




**1/2 Seite hoch (im Satzspiegel)**  
Endformat: 89 x 255 mm

**1/2 Seite hoch (mit Beschnitt)**  
Endformat: 104 x 297 mm  
Mit Beschnitt: 107 x 303 mm

**1/2 Page vert. (type area)**  
Size: 89 x 255 mm

**1/2 Page vert. (with trim)**  
Size: 104 x 297 mm  
With trim: 107 x 303 mm




**1/2 Seite quer (im Satzspiegel)**  
Endformat: 183 x 127 mm

**1/2 Seite quer (mit Beschnitt)**  
Endformat: 210 x 145 mm  
Mit Beschnitt: 213 x 148 mm

**1/2 Page horiz. (type area)**  
Size: 183 x 127 mm

**1/2 Page horiz. (with trim)**  
Size: 210 x 145 mm  
With trim: 213 x 148 mm




**1/3 Seite quer (im Satzspiegel)**  
Endformat: 183 x 85 mm

**1/3 Seite quer (mit Beschnitt)**  
Endformat: 210 x 99 mm  
Mit Beschnitt: 213 x 102 mm

**1/3 Page horiz. (type area)**  
Size: 183 x 85 mm

**1/3 Page horiz. (with trim)**  
Size: 210 x 99 mm  
With trim: 213 x 102 mm




**1/3 Seite hoch (im Satzspiegel)**  
Endformat: 58 x 255 mm

**1/3 Seite hoch (mit Beschnitt)**  
Endformat: 72 x 297 mm  
Mit Beschnitt: 75 x 303 mm

**1/3 Page vert. (type area)**  
Size: 58 x 255 mm

**1/3 Page vert. (with trim)**  
Size: 72 x 297 mm  
With trim: 75 x 303 mm




**1/4 Seite hoch (im Satzspiegel)**  
Endformat: 89 x 128 mm

**1/4 Seite hoch (im Satzspiegel)**  
Endformat: 183 x 64 mm


**1/4 Page vert. (type area)**  
Size: 89 x 128 mm

**1/4 Page horiz. (type area)**  
Size: 183 x 64 mm



**1/8 Seite (im Satzspiegel)**  
Endformat: 183 x 32 mm

**1/8 Page (type area)**  
Size: 183 x 32 mm



**Titelseite (mit Beschnitt)**  
Endformat: 160 x 218 mm  
Mit Beschnitt: 160 x 221 mm

**Coverpage (with trim)**  
Size: 160 x 218 mm  
With trim: 160 x 221 mm

## Format Beilage / Loose inserts

lose eingelegt

loose insert



Beilage

max. Größe: 207 x 297 mm

Insert

max. Size: 207 x 297 mm

## Online-Werbung / Online Advertising



→ Banner gross  
banner big

→ Banner klein  
banner small

## Formate Einhefter / Formate bound inserts

Kopf- und Fussbeschnitt 5 mm, seitlicher Beschnitt 5 mm

head bleed and bottom trim 5 mm, edge bleed 5 mm



1 Blatt

Endformat: 210 x 297 mm

Bund: 5 mm

Beschnitt: 5 mm

1 Page

Size: 210 x 297 mm

Gutter: 5 mm

Trim: 5 mm



2 Blatt

Endformat: 420 x 297 mm

Bund: 2 x 5 mm


Beschnitt: 5 mm

2 Pages

Size: 420 x 297 mm

Gutter: 2 x 5 mm

Trim: 5 mm



3 Blatt (rechts ausklappbar)

Endformat: 621 x 297 mm

Bund: 2 x 5 mm


Beschnitt: 5 mm

3 Pages (folding out sideways)

Size: 621 x 297 mm

Gutter: 2 x 5 mm

Trim: 5 mm



4 Blatt (Altarfalz)

Endformat: 822 x 297 mm

Bund: 2 x 5 mm

Beschnitt: 5 mm

4 Pages (double gate fold)

Size: 822 x 297 mm

Gutter: 2 x 5 mm

Trim: 5 mm

# coating

International

Anlagen und Verfahren zur Beschichtung und Veredelung

Machinery and Processing for Coating and Converting



**Mit uns treffen Sie  
Ihre Zielgruppe!**